>>> Paysky SmartBox V7 Smart Android POS

Onmi-channel Payment, Support 4G/3G, Bluetooth, WIFI 2.4/5Ghz, Android 10





LTE Android POS

High Reliability & Exceptional Performance

- Accepts EMV Chip, Magnetic stripe & NFC contactless Transactions
- 2 Fast processing capacity via a Quad-core 1.8 processor
- High quality 5 inch touch color screen

Flexible Expansibility

- 1 3G, 4G LTE
- WIFI & Blutooth connectivity
- 3 Phone call support





Key Features

Quad-core processor deliver stronger performance

2

High-speed printer

Omnipotent payment includes MSR, IC-card, NFC and QR-code

Ultra-thin design makes it easy to pick up and move the device when needed

Removable aluminum polymer battery ensures safety and ease of maintenance



IC card reader

Support smart IC card complies with ISO7816/EMV PBOC3.0 standards

Magnetic card reader

Support 1/2/3 track Bi-direction complies with ISO7810/7811

Security

ANSI X9.8/ISO9564 - ANSI X9.9/ISO8731

Master Key/Session key, support 3DES, RSA, SHA-256

NFC reader

PBOC 3.0 - ISO/ICE 14443 Type A&B - PBOC PayPass - PayWave





Biometric fingerprint scanner for payments & government applications use-cases

QR Scanning support for payments & retail use-cases





Product Specification

Operating System Android 10

Communications 4G (TD-LTE/FDD-LTE) + 3G (WCDMA / TD-SCDMA) + 2G (GSM / GPRS), WiFi 2.4GHZ / 5GHz (802.11 a/b/g/n), Bluetooth 4.2 BLE

Cameras 8M AF Rear Camera with LED Flash, Support 1D / 2DBarcode / QR Scanning 2M F Front Camera, Support 1D / 2DBarcode / QR Scanning

Memory 2GB + 16GB

Processor Quad-core 4x 1.8 Ghz, A53

Location GPS, GLONASS, Beidou, A-GPS

Magnetic Stripe Card ISO7811-6:2008, ISO7811, ISO 7813, Track 1/2/3, Hi &Lo-coercivity, Bi-Direction, Cycles 1,000,000

Printer Print speed: 60 mm/s, Paper rol: 58 mm width, diameter 40 mm

Contactless Card EMV Contactless L1, ISO14443 A&B, FeliCa

Peripheral Ports 1USB Type-C and USB 2.0, OTG, POGO PIN

Battery Li-ion, 3.7V, 5648 mAh

Physical 215.8mm (L) x78.6mm (W) x49.1mm (H)

Card Slots 2x SIM + 1x SAM or 1x SIM +2x SAM

Power Input: 110 - 240V AC, 50Hz / 60Hz | Output: 5V DC, 2.0A

Display 5.5 (1280 - 720) LCD, capacitive multi-touch screen

Certifications PCI PTS 5 . SRED, EMV Contacted L1 &L2, EMV Contactless L1, Visa

PayWave (incl. VOQOS), MasterCard Contactless, AMEX ExpressPay, JCB JSpeedy, Discover

D-PAS, UnionPay QuickPass, Mastercard TQM, CE, RoHS, FCC



Terminal Dimensions

215.8mm

Wallet / Coyalty





78.6mm



EGYPT

UAE

16129

+971600592552

Abd El Hady Rady Street, New Cairo

The Dome Tower, JLT, Dubai, UAE

≥ info@Paysky.io

■ info@Paysky.io

